



EMMYWATCH
VINTAGE RESTORATIONS

Rolex 1165 Movement Parts (1)

Compiled by Emmywatch - <https://www.emmywatch.com>

Calibre 1165

Ø20.00mm
Ht: 5.90mm
Train: 19.800

- Automatic
- Calendar
- Centre second
- Shock Proof
- 26 Jewels

Base Calibre 1120



















Image	Rolex No.	Description
	171	Screw for enlargement ring
	2944	Screw for stud
	4519	Date star
	4520-1	Date indicator Ø 18.00mm • champagne
	4520-2	• silvered
	4521-1	Date indicator Ø 21.50mm • champagne
	4521-2	• silvered
	6669	Train wheel bridge

Image	Rolex No.	Description
	6671	Third wheel
	6672	Jewel for third wheel-upper
	6673	Second wheel
	6675	Driving wheel over third wheel
	6676	Centre second pinion
	6677	Second pinion friction spring
	6678	Screw for second pinion friction spring
	6732	Bearing pad for oscillating weight
	6733	Automatic device lower bridge
	6735	Oscillating weight
	6736	Axle for oscillating weight
	6737	Winding wheel

Image

Rolex No.

Description

y

6738

Oscillating weight bolt-axle

x

6739

Spring-clip



6740

Intermediate wheel n°2

o

6741

Bush for reversing wheel-lower



6754

Shock-absorber for balance-lower



6765

Main plate



6766

Centre wheel with cannon pinion

i

6767

Cannon pinion



6768

Hour wheel



6770

Driving wheel for date indicator



6771

Date jumper

j

6771-1

Date jumper foot



















Image	Rolex No.	Description
	6771-2	Date jumper pillar
	6772	Screw for date jumper
	6778	Enlargement ring
	6779	Screw for case
	6801	Balance bridge
	6801-1	Balance bridge foot
	6802	Balance with flat hairspring, timed
	6806	Regulator
	6807	Stud support
	6809	Automatic device upper bridge
	6810	Shock-absorber for balance-upper

Image	Rolex No.	Description
	6811	Automatic device module
	6816	Set of screws
	7934	Spring with axle for in-setting for balance-upper /lower
	8063	Screw for stud holder
	95019-2	In-setting for balance-upper / lower
	95019-3	Cap jewel for balance-upper / lower
	95019-4	Spring for in-setting for balance-upper /lower