

Rolex 1315 Movement Parts (1)

Compiled by EmmyWatch - https://www.emmywatch.com

Calibre 1315

- Ø17.80x15.30mm
- Ht: 4.35mm
- Train: 18.000
- Calendar
- Centre second
- Shock Proof
- 17 Jewels

Base Calibre 1300

Image	Rolex No.	Description
ĸ	106	Bridle
ю	107	Bridle
a VINTA	162 M V V A GE F4517TOR	Screw for bridle
0	6672	Jewel for third wheel-upper
Ŧ	6678	Screw for second pinion friction spring
	7780	Train wheel bridge
<i>⊗</i> -∔-	7782	Third wheel
	7784	Driving wheel over third wheel

Image	Rolex No.	Description
•0	7786	Minute pinion friction spring
- <u>1</u>	7789	Screw for case
	7790	Main plate
	7791	Centre wheel with cannon pinion
ÎEN	1 M 7792 W A	Gentre second pinion
VINT L	AGE RESTOR 7793	ATIONS Cannon pinion
<u>م</u>	7794	Hour wheel with double toothing
\odot	7795	Driving wheel for date indicator
Č.	7796	Date jumper
U	7796-1	Date jumper foot
Ĩ	7797	Screw for date jumper

Image	Rolex No.	Description
	7798	Date indicator seating
Ŵ	7799	Screw for date indicator seating
Ø	7800	Date star
ACTING ON OUT OF THE OWNER	7801-2	Date indicator silvered
N N S VINT	AGE RESTOR 7805	ATIONS Set of screws