



**EMMYWATCH**  
VINTAGE RESTORATIONS

**Rolex 2130 Movement Parts (1)**










*Compiled by EmmyWatch - <https://www.emmywatch.com>*














# Calibre 2130

















Ø20.00mm  
Ht: 5.40mm  
Train: 28.800

- Automatic
- Centre Seconds
- Shock Proof
- 29 Jewels



















## Base Calibre 2130













| Image   | Rolex No. | Description  |
|---|-----------|--|
|    | 137       | Bridle   |
|    | 167       | Screw for bridle   |
|    | 4493      | Cap jewel for balance-upper / lower                              |
|    | 4494      | Spring for in-setting for escape wheel and balance-upper / lower |
|    | 5044      | Stud for minute wheel  |
|    | 55034     | Screw for click  |
|  | 2130-100  | Main plate   |
|  | 2130-105  | Barrel bridge  |
|  | 2130-110  | Train wheel bridge   |













| Image  | Rolex No. | Description                       |
|--|-----------|-----------------------------------|
|   | 2130-115  | Pallet bridge                     |
|   | 2130-120  | Balance bridge                    |
|   | 2130-125  | Minute pinion bridge              |
|   | 2130-135  | Automatic device lower bridge     |
|   | 2130-140  | Automatic device upper bridge     |
|  <p style="text-align: center; font-size: 2em; opacity: 0.5; font-weight: bold;">EMMYWATCH</p> <p style="text-align: center; font-size: 1.2em; opacity: 0.5;">VINTAGE RESTORATIONS</p> | 2130-145  | Automatic device module           |
|   | 2130-201  | Winding stem                      |
|   | 2130-204  | Winding pinion                    |
|   | 2130-205  | Sliding pinion                    |
|   | 2130-210  | Crown wheel                       |
|   | 2130-211  | Crown wheel core                  |
|   | 2130-212  | Core for intermediate crown wheel |
|   | 2130-213  | Intermediate crown wheel          |

| Image   | Rolex No.  | Description                  |
|---|------------|------------------------------|
|    | 2130-217   | Yoke for sliding gear        |
|    | 2130-220   | Setting lever                |
|    | 2130-225   | Spring for setting lever     |
|    | 2130-230   | Jumper for setting lever     |
|    | 2130-236   | Cover mechanism              |
|    | 2130-240   | Yoke for sliding pinion      |
|    | 2130-241   | Spring for yoke              |
|    | 2130-245   | Spring for balance stop      |
|  | 2130-246   | Stud for balance stop spring |
|  | 2130-251   | Intermediate setting wheel   |
|  | 2130-260   | Minute wheel                 |
|  | 2130-270   | Cannon pinion ht. 1.98mm     |
|  | 2130-270-1 | Cannon pinion ht. 1.68mm     |
|  | 2130-280   | Hour wheel ht. 1.29mm        |
|  | 2130-280-1 | Hour wheel ht. 1.00mm        |
|  | 2130-300   | Click                        |

| Image   | Rolex No.  | Description                      |
|---|------------|----------------------------------|
|    | 2130-301   | Spring for click                 |
|    | 2130-305   | Ratchet wheel                    |
|    | 2130-307   | Barrel arbor                     |
|    | 2130-310   | Barrel with arbor                |
|    | 2130-311   | Mainspring, strength standard    |
|    | 2130-311-1 | Mainspring, strength weak        |
|   | 2130-330   | Great wheel                      |
|    | 2130-335   | Minute pinion with cannon pinion |
|   | 2130-340   | Third wheel                      |
|   | 2130-360   | Second wheel                     |
|   | 2130-410   | Escape wheel                     |
|    | 2130-419   | Pallet staff                     |
|    | 2130-421   | Pallet fork                      |

| Image   | Rolex No.  | Description                                     |
|---|------------|---|
|       | 2130-425   | Roller  |
|    | 2130-429   | Balance staff                                   |
|    | 2130-432   | Balance with flat hairspring, timed             |
|    | 2130-451   | Bridle for hairspring support                   |
|    | 2130-452   | Clamp for hairspring                            |
|    | 2130-453   | Hairspring support                              |
|        | 2130-510   | Driving wheel for ratchet wheel                 |
|      | 2130-540   | Reversing wheel, mounted                        |
|   | 2130-550   | Pinion for oscillating weight                   |
|    | 2130-560-1 | Spring-clip for oscillating weight:<br>• 0.15mm |
|   | 2130-560-2 | • 0.135mm                                       |
|   | 2130-560-3 | • 0.165mm                                       |
|    | 2130-561   | Bridle for spring-clip                          |
|   | 2130-568   | Axle for oscillating weight                     |
|    | 2130-570   | Oscillating weight                              |

| Image   | Rolex No. | Description   |
|---|-----------|---|
|    | 2130-5210 | Screw for crown wheel   |
|    | 2130-5213 | Screw for intermediate crown wheel  |
|    | 2130-5220 | Setting lever axle screw (yellow)   |
|    | 2130-5236 | Screw for:<br>• Cover mechanism<br>• Bridle for spring-clip<br>• Bridle for hairspring support  |
|    | 2130-5452 | Screw for hairspring bridle   |
|    | 2130-7240 | Yoke stud   |
|    | 2130-9307 | Jewel for barrel-upper / lower  |
|   | 2130-9330 | Jewel for:<br>• Great wheel-upper / lower<br>• Driving wheel for ratchet wheel-upper<br>• Reversing wheel-upper / lower<br>• Oscillating weight-lower |
|  | 2130-9340 | Jewel for:<br>• Third wheel-upper / lower<br>• Second wheel-upper   |
|  | 2130-9360 | Jewel for second wheel-lower  |
|  | 2130-9421 | Jewel for pallet fork-upper / lower   |
|  | 2130-9510 | Jewel for driving wheel for ratchet wheel-lower   |
|  | 2130-9570 | Jewel for oscillating weight-upper  |
|   |           |   |

| Image   | Rolex No.   | Description   |
|---|-------------|---|
|     | 2130-975    | Enlargement ring  |
|    | 2130-0913   | In-setting for escape wheel-upper /lower  |
|    | 2130-0913-2 | Cap jewel for escape wheel-upper /lower   |
|    | 2130-0915   | Shock-absorber for balance-upper  |
|    | 2130-0915-1 | In-setting for balance-upper / lower  |
|    | 2130-0916   | Shock-absorber for balance-lower  |
|   | 2130-5000   | Set of screws   |
|  | 2130-5100   | Screw for case  |
|  | 2130-5105   | Screw for barrel bridge, long   |
|  | 2130-5110   | Screw for: <ul style="list-style-type: none"> <li>• Barrel bridge</li> <li>• Train wheel bridge</li> <li>• Balance bridge</li> <li>• Automatic device upper bridge</li> </ul>   |
|  | 2130-5115   | Screw for: <ul style="list-style-type: none"> <li>• Pallet bridge</li> <li>• Minute pinion bridge</li> <li>• Automatic device lower bridge</li> <li>• Spring for setting lever</li> <li>• Jumper for setting lever</li> </ul> |
|  | 2130-5121   | Regulating screw for balance bridge   |