



Seiko 2501A Movement Parts (1)

Compiled by EmmyWatch - <https://www.emmywatch.com>


Calibre No.	2501A	Jewels	17 j	Style Name	(Seikomatic Lady)
-------------	--------------	--------	-------------	------------	----------------------------



Cal. 2501A

Characteristics

- Casing diameter : 17.20 ϕ mm
- Maximum height : 5.35 mm
- Vibrations per hour : 19,800
- Automatic winding with sweep second
- "Diashock" Shock Resistant Device



T	T	T	T	T	T	T	T	T	T	T
012118	012120	012121	012204	012241	012251	012252	012407	012501	012642	012711
T	T									
012718	012744									

Calibre No.		Jewels	Style Name	
2501A		17 j	(Seikomatic Lady)	
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS	
111031	Barrel bridge	012251	Center wheel bridge screw	
122250	Center wheel bridge	012252	Bridge screw, long	
141031	Fourth wheel bridge	012407	Case screw	
161251	Pallet cock	012501	Crown wheel screw	
171250	Balance cock	012642	Click screw	
191030	Framework for automatic device	012711	Screw for oscillating weight axle	
205030	Complete barrel with arbor	012718	Minute wheel bridge screw	
213250	Barrel arbor	012718	Setting lever spring screw	
224060	Center wheel & pinion with cannon pinion	012744	Screw for oscillating weight fork	
225060	Cannon pinion	011132	Upper hole jewel for center wheel	
231250	Third wheel & pinion	011118	Lower hole jewel for center wheel	
241250	Fourth wheel & pinion	011710	Lower hole jewel for sweep second pinion	
245060	Sweep second pinion	011402	Lower hole jewel for escape wheel	
251250	Escape wheel & pinion	011106	Upper hole jewel for transmission wheel	
261060	Minute wheel	011106	Lower hole jewel for transmission wheel	
271060	Hour wheel	011404	Upper hole jewel for 1st locking wheel	
281250	Setting wheel	011404	Upper hole jewel for 2nd locking wheel	
282250	Clutch wheel	011403	Lower hole jewel for 2nd locking wheel	
283250	Winding pinion	013004	Tube for bridge screw, long	
284250	Crown wheel	013113	Tube for bridge screw, short	
285250	Ratchet wheel			
301250	Jewelled pallet fork & staff			
310250	Balance complete with stud			
315250	Balance staff			
331180	Roller with jewel			
341250	Regulator			
345250	Stud holder			
351251	Winding stem			
372250	Joint stem (movement portion)			
373250	Joint stem (case portion)			
381030	Click			
382030	Click spring			
383250	Setting lever with axle			
384250	Yoke (Clutch lever)			
385250	Yoke spring (Clutch lever spring)			
387250	Minute wheel bridge			
388250	Setting lever spring			
401030	Mainspring with slipping attachment			
453250	Upper hole jewel with frame for escape wheel			
481250	Crown wheel ring			
491180	Dial washer			
014413	Diashock upper frame			
014414	Diashock lower frame			
014415	Diashock hole jewel with frame			
011212	Diashock cap jewel			
014417	Diashock spring			
501032	Oscillating weight with pinion			
505030	Transmission wheel			
541030	Oscillating weight axle			
545030	Oscillating weight fork			
667031	First locking wheel			
668031	Second locking wheel			
012118	Barrel bridge screw			
012118	Fourth wheel bridge screw			
012118	Balance cock screw			
012120	Dial screw			
012121	Stud screw			
012204	Pallet cock screw			
012241	Framework screw for automatic device			

Items in light letters are not shown in photos.