




**Seiko 6201B Movement Parts (1)**

*Compiled by EmmyWatch - <https://www.emmywatch.com>*

Calibre No. <b>6201 B</b>	Jewels <b>17j</b>	Style Name <b>( Seikomatic )</b>
------------------------------	----------------------	-------------------------------------




Cal. 6201B

### Characteristics

Casing diameter : 27.60 $\phi$  mm  
 Maximum height : 4.80 mm  
 Vibrations per hour : 18,000  
 Automatic winding with sweep second  
 "Diashock" Shock Resistant Device

Catalog No. 62-01-1



T	T	T	T	T	T	T	T	T
022258	022351	022150	022462	022657	022251	022266	022750	022752
T	T	T	T	T	T	T	T	2/1
022254	022458	022776	022252	022250	022264	022460	390720	

☆ ⇨ Please see remarks on the reverse page.

Calibre No.		Jewels	Style Name	
<b>6201 B</b>		<b>17 j</b>	<b>( Seikomatic )</b>	
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS	
112724	Barrel & train-wheel bridge	837610	Pawl lever holder	
122720	Center wheel bridge	022150	Stud screw	
161740	Pallet cock	022250	Pawl lever holder screw	
171618	Balance cock	022251	Click screw	
191611	Framework for automatic device	022252	Transmission holder screw	
205408	Complete barrel with arbor	022254	Framework screw for automatic device	
213408	Barrel arbor	022258	Bridge screw	
224961	Center wheel & pinion with cannon pinion	022264	Dial screw	
225961	Cannon pinion	022266	Setting lever axle spring screw	
231614	Third wheel & pinion	022351	Center wheel bridge screw	
241618	Sweep second wheel & pinion	022351	Pallet cock screw	
251610	Escape wheel & pinion	022458	Screw for oscillating weight	
261610	Minute wheel	022460	Case screw	
271961	Hour wheel	022462	Ratchet wheel screw	
281610	Setting wheel	022657	Setting lever spring screw	
282610	Clutch wheel	022750	Bearing plate screw for sweep second wheel	
285408	Ratchet wheel	022752	Minute wheel bridge screw	
301610	Jewelled pallet fork & staff	022776	Ball-bearing holder screw	
310610	Balance complete with stud	011104	Upper hole jewel for center wheel	
315610	Balance staff	011117	Lower hole jewel for center wheel	
331610	Roller with jewel	011405	Lower hole jewel for 3rd wheel	
341610	Regulator	011406	Upper hole jewel for escape wheel	
345610	Stud holder	011406	Lower hole jewel for escape wheel	
☆ 354611	Winding stem	011503	Upper hole jewel for pallet	
☆ 354613		011503	Lower hole jewel for pallet	
☆ 372610		011112	Upper hole jewel for transmission wheel	
☆ 373740		011112	Lower hole jewel for transmission wheel	
381610	Click	023151	Tube for bridge screw	
383740	Setting lever			
384610	Yoke (Clutch lever)			
385610	Yoke spring (Clutch lever spring)			
387610	Minute wheel bridge			
388610	Setting lever spring			
389720	Setting lever axle spring			
390720	Setting lever axle			
401610	Mainspring with slipping attachment			
446614	Bearing plate for sweep second wheel			
491610	Dial washer			
014233	Diashock upper frame			
014244	Diashock lower frame			
014225	Diashock hole jewel with frame			
011210	Diashock cap jewel			
014217	Diashock spring			
500611	Oscillating weight			
505610	Transmission wheel			
821690	Ball-bearing for oscillating weight			
831610	Pawl lever with jewel			
835610	Ball-bearing holder			
836610	Transmission holder			
<b>Remarks :</b>				
☆ 354611	For the waterproof case having less than <b>36.0</b> mm diameter, No. 354611 winding stem should be used.			
☆ 354613	For the waterproof case having more than <b>36.5</b> mm diameter, No. 354613 winding stem should be used.			
☆ 372610	Joint stem ( movement portion )			
☆ 373740	Joint stem ( case portion )			

☆⇒ Please see remarks.

Items in light letters are not shown in photos.