






































































Seiko 6205B Movement Parts (1)

Compiled by EmmyWatch - <https://www.emmywatch.com>

Calibre No. 6205 B		Jewels 17j		Style Name (Seikomatic Selfdater)				
 <p>Cal. 6205B</p>				Characteristics Casing diameter : 27.60 ^φ mm Maximum height : 5.35 mm Vibrations per hour : 18,000 Automatic winding with sweep second Calendar (date) "Diashock" Shock Resistant Device				
								
112724	225800	231614	☆241800	251610	301610	310610	315610	
								
331610	341610	345610	261720	271800	282720	285408	381610	383720
								
384720	385720	387720	388720	389720	446614	491610	014225	014233
								
014244	011210	014217	☆354720	☆354721	☆372720	☆373740	505610	821690
								
831610	835610	836610	837610	191724	500611	☆801870		
								
802720	803720	808720	810720	811720	814720	817720		
								
022258	022351	022150	022462	022251	022755	022266	022659	022750
								$\frac{2}{1}$
022250	022458	022254	022252	022776	022253	022461	390720	$\frac{2}{1}$

☆ ⇨ Please see remarks on the reverse page.

Calibre No.		Jewels	Style Name	
6205 B		17 j	(Seikomatic Selfdater)	
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS	
112724	Barrel & train-wheel bridge	837610	Pawl lever holder	
122720	Center wheel bridge	☆ 801870	Date dial	
161740	Pallet cock	802720	Date driving wheel	
171618	Balance cock	803720	Setting wheel lever complete	
191724	Framework for automatic device	808720	Date dial guard	
205408	Complete barrel with arbor	810720	Date jumper	
213408	Barrel arbor	811720	Date jumper spring	
224800	Center wheel & pinion with cannon pinion	814720	Setting wheel lever plate	
225800	Cannon pinion	817720	Intermediate date wheel	
231614	Third wheel & pinion	022150	Stud screw	
☆ 241800	Sweep second wheel & pinion	022250	Pawl lever holder screw	
251610	Escape wheel & pinion	022251	Click screw	
261720	Minute wheel	022252	Transmission holder screw	
271800	Hour wheel	022252	Minute wheel bridge screw	
282720	Clutch wheel	022253	Dial screw	
285408	Ratchet wheel	022254	Framework screw for automatic device	
301610	Jewelled pallet fork & staff	022258	Bridge screw	
310610	Balance complete with stud	022266	Setting lever axle spring screw	
315610	Balance staff	022351	Center wheel bridge screw	
331610	Roller with jewel	022351	Pallet cock screw	
341610	Regulator	022458	Screw for oscillating weight	
345610	Stud holder	022461	Case screw	
☆ 354720		022462	Ratchet wheel screw	
☆ 354721		022659	Setting lever spring screw	
☆ 372720	Winding stem	022750	Bearing plate screw for sweep second wheel	
☆ 373740		022755	Date dial guard screw	
381610	Click	022776	Ball-bearing holder screw	
383720	Setting lever	011104	Upper hole jewel for center wheel	
384720	Yoke (Clutch lever)	011104	Lower hole jewel for center wheel	
385720	Yoke spring (Clutch lever spring)	011112	Upper hole jewel for transmission wheel	
387720	Minute wheel bridge	011112	Lower hole jewel for transmission wheel	
388720	Setting lever spring	011405	Lower hole jewel for 3rd wheel	
389720	Setting lever axle spring	011406	Upper hole jewel for escape wheel	
390720	Setting lever axle	011406	Lower hole jewel for escape wheel	
401610	Mainspring with slipping attachment	011503	Upper hole jewel for pallet	
446614	Bearing plate for sweep second wheel	011503	Lower hole jewel for pallet	
491610	Dial washer	023151	Tube for bridge screw	
014233	Diashock upper frame			
014244	Diashock lower frame			
014225	Diashock hole jewel with frame			
011210	Diashock cap jewel			
014217	Diashock spring			
500611	Oscillating weight			
505610	Transmission wheel			
821690	Ball-bearing for oscillating weight.			
831610	Pawl lever with jewel			
835610	Ball-bearing holder			
836610	Transmission holder			
Remarks :				
☆ 354720	For the waterproof case having more than 36.5mm diameter, No. 354720 winding stem should be used.			
☆ 354721	For the waterproof case having less than 36.0mm diameter, No. 354721 winding stem should be used			
☆ 372720	Joint stem (movement portion)			
☆ 373740	Joint stem (case portion)			
☆ 801870	Used for the case and dial where both the crown and the date frame are located at the 3 o'clock position. If the date dial of any other types is required, please inform clearly ① the Cal. No. ② the crown position and ③ the date frame position.			
☆ 241800	241874 Sweep second wheel & pinion also acceptable			

☆⇨ Please see remarks.

Items in light letters are not shown in photos.