





EMMYWATCH
VINTAGE RESTORATIONS

Seiko 6222M Movement Parts (1)

Compiled by EmmyWatch - <https://www.emmywatch.com>

Calibre No. 6222 M ⇨ Basic Calibre 6220M 17J Catalog No. 62-20-1	Jewels 17 j	Style Name (Skyliner Calendar)
---	---	--



Cal. 6222M

Characteristics

- Casing diameter : 27.60 φ mm
- Maximum height : 3.90 mm
- Vibrations per hour : 18,000
- Non-automatic with sweep second
- Calendar (date)
- "Diashock" Shock Resistant Device



131874



☆ 224800



225800




☆ 241800



261720



271800



☆ 801870

281870



802870



808720



810720



811720



817720

Y 022755	T 022461
$\frac{2}{1}$	

EMMYWATCH

VINTAGE RESTORATIONS

☆ ⇨ Please see remarks on the reverse page.

As for all other parts not shown here, please refer to the basic calibre

(Cal. No. **6220M** 17J Catalog No. 62-20-1 Green page).

Calibre No.	6222 M	Jewels	17 j	Style Name	(Skyliner Calendar)
⇨ Basic Calibre 6220M 17J Catalog No. 62-20-1					

PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS
111740	Barrel bridge	433744	Upper hole jewel with frame for sweep second wheel
122720	Center wheel bridge	446610	Bearing plate for sweep second wheel
131874	Third wheel bridge	453744	Upper hole jewel with frame for escape wheel
161740	Pallet cock	481620	Crown wheel ring
171744	Balance cock	491610	Dial washer
205627	Complete barrel with arbor	☆ 801870	Date dial
213620	Barrel arbor	802870	Date driving wheel
☆ 224800	Center wheel & pinion with cannon pinion	808720	Date dial guard
225800	Cannon pinion	810720	Date jumper
231614	Third wheel & pinion	811720	Date jumper spring
☆ 241800	Sweep second wheel & pinion	817720	Intermediate date wheel
251610	Escape wheel & pinion	014233	Diashock upper frame
261720	Minute wheel	014244	Diashock lower frame
271800	Hour wheel	014225	Diashock hole jewel with frame
281870	Setting wheel	011210	Diashock cap jewel
282620	Clutch wheel	014217	Diashock spring
283620	Winding pinion	022150	Stud screw
284620	Crown wheel	022253	Dial screw
285740	Ratchet wheel	022258	Bridge screw
301610	Jewelled pallet fork & staff	022266	Setting lever axle spring screw
310620	Balance complete with stud	022351	Center wheel bridge screw
315610	Balance staff	022351	Pallet cock screw
331610	Roller with jewel	022356	Ratchet wheel screw
341620	Regulator	022461	Case screw
345620	Stud holder	022551	Crown wheel screw
351623	Winding stem	022653	Click screw
372740	Joint stem (movement portion)	022657	Setting lever spring screw
373740	Joint stem (case portion)	022750	Bearing plate screw for sweep second wheel
381620	Click	022752	Minute wheel bridge screw
382620	Click spring	022755	Date dial guard screw
383740	Setting lever	011104	Upper hole jewel for center wheel
384610	Yoke (Clutch lever)	011104	Lower hole jewel for center wheel
385610	Yoke spring (Clutch lever spring)	011405	Lower hole jewel for 3rd wheel
387610	Minute wheel bridge	011406	Lower hole jewel for escape wheel
388610	Setting lever spring	011503	Upper hole jewel for pallet
389720	Setting lever axle spring	011503	Lower hole jewel for pallet
390720	Setting lever axle	023151	Tube for bridge screw
401620	Mainspring (self-greasing)		
433744	Upper hole jewel with frame for 3rd wheel		

Remarks :

- ☆ 224800 (Center wheel & pinion with cannon pinion) 224878 center wheel & pinion with cannon pinion also acceptable.
- ☆ 241800 (Sweep second wheel & pinion) 241874 sweep second wheel & pinion also acceptable.
- ☆ 801870 (Date dial) Used when both the crown and the date frame are located at **3** o'clock.

If the date dial of this calibre is required in any other type, specify ① Cal. No.
② the crown position ③ the date frame position and ④ the dial No.

☆ ⇨ Please see remarks.

Items in light letters are not shown in photos ; those parts are interchangeable with the basic calibre

(Cal. No. **6220M** 17J Catalog No. 62-20-1 Green page).