

















































Seiko 7546A Movement Parts (1)

Compiled by EmmyWatch - <https://www.emmywatch.com>

Cal. 7546A



- | | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |
| 122 750 | 131 750 | 221 750 | 225 611 | 231 750 | 241 750 | 261 611 |
|  |  |  |  |  |  |  |
| 271 611 | 282 601 | 354 601 | 383 601 | 384 601 | 387 601 | 388 601 |
|  |  |  |  |  |  |  |
| 390 601 | 391 750 | ☆ 397 601 | ☆ 397 602 | 701 750 | ☆ 801 601 | 802 601 |
|  |  |  |  |  |  |  |
| 803 601 | 808 601 | 810 601 | 817 611 | 868 601 | ☆ 870 510 | 873 601 |
|  |  |  |  |  |  |  |
| ☆ 884 750 | 963 610 | 4001 750 | 4002 750 | 4050 751 | 4146 750 | 4239 750 |
|  |  |  |  | | | |
| 4242 754 | 4259 750 | 4455 750 | U.C.C. 301 | | | |

- | | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |
| 022 257 | ☆ 022 421 | 022 468 | 022 491 | 022 494 | 022 760 | 022 761 |

☆⇒ Please see remarks on the next reverse page.

Cal. 7546A

Characteristics :

Casing diameter : ϕ 27.0 mm
 Maximum height : 4.6 mm
 Jewels : 4 j
 Frequency of quartz crystal oscillator : 32,768 Hz (Hz=Hertz Cycles per second)
 Driving system : Step motor system (2 poles)
 Regulation system : Trimmer condenser
 Second setting device
 Calendar (day & date)
 Instant setting device for day & date calendar
 Bilingual change-over system for day of week
 Battery life indicator : Second hand moves in two-second interval

PART NO.	PART NAME	PART NO.	PART NAME
122 750	Center wheel bridge	☆022 421	Case screw
131 750	Third wheel bridge	022 468	Third wheel bridge screw
221 750	Center wheel & pinion	022 468	Center wheel bridge screw
225 611	Cannon pinion	022 468	Circuit block screw
231 750	Third wheel & pinion	022 468	Screw for plus terminal of battery connection
241 750	Fourth wheel & pinion	022 468	Date driving wheel screw
261 611	Minute wheel	022 491	Minute wheel bridge screw
271 611	Hour wheel	022 494	Reset lever screw
282 601	Clutch wheel	022 760	Day jumper screw
354 601	Winding stem	022 760	Date dial guard screw
383 601	Setting lever	022 761	Dial screw
384 601	Yoke (Clutch lever)	011 405	Lower hole jewel for fifth wheel
387 601	Minute wheel bridge	011 405	Upper hole jewel for fifth wheel
388 601	Setting lever spring	011 537	Lower hole jewel for step rotor
390 601	Setting lever axle	011 537	Upper hole jewel for step rotor
391 750	Second setting lever	U.C.C.301	Silver oxide battery
☆397 601	Lever for unlocking stem A (Long)		
☆397 602	Lever for unlocking stem B (Short)		
701 750	Fifth wheel & pinion		
☆801 601	Date dial		
☆801 602			
☆801 604			
802 601	Date driving wheel		
803 601	Setting wheel lever complete		
808 601	Date dial guard		
810 601	Date jumper		
817 611	Intermediate date wheel		
868 601	Day finger		
☆870 510	Day star with dial disk		
☆870 558			
☆870 559			
☆870 601			
873 601	Day jumper		
☆884 750	Holding ring for dial		
☆884 752			
☆884 753			
☆884 755			
963 610	Snap for day star with dial disk		
4001 750	Circuit block		
4002 750	Coil block		
4050 751	Circuit bridge plate		
4146 750	Step rotor		
4239 750	Rotor stator		
4242 754	Plus terminal of battery connection		
4259 750	Anti-magnetic shield plate		
4455 750	Reset lever		
022 257	Setting lever spring screw		

☆⇨ Please see remarks on the reverse page.
 Part numbers in light letters are not shown in photos.