




**Seiko 7810A Movement Parts (1)**


*Compiled by EmmyWatch - <https://www.emmywatch.com>*

Calibre No.	<b>7810A</b>	Jewels	<b>5j</b>	Style Name	
-------------	--------------	--------	-----------	------------	--



**Characteristics**

Casing diameter :  $\phi$  23.3 mm  
 Maximum height : 2.9 mm  
 Frequency of quartz crystal oscillator : **32,768 Hz**  
 (Hz=Hertz . . . . Cycle per second)  
 Driving system : Step motor system (2 poles)  
 Regulation system : Trimmer condenser  
 Second setting device  
 Battery life indicator : Second hand moves in two-second interval.



☆⇒ Please see remarks on the next page.

Calibre No.	<b>7810A</b>	Jewels	<b>5j</b>	Style Name
-------------	--------------	--------	-----------	------------

PART NO.	PART NAME	PART NO.	PART NAME
122 781	Center wheel bridge		
131 781	Third wheel bridge		
221 781	Center wheel & pinion		
225 781	Cannon pinion		
231 781	Third wheel & pinion		
241 781	Fourth wheel & pinion		
261 781	Minute wheel		
271 781	Hour wheel		
281 589	Setting wheel		
282 781	Clutch wheel		
354 780	Winding stem		
383 780	Setting lever		
384 781	Yoke (Clutch lever)		
386 781	Setting lever spring		
390 780	Setting lever axle		
391 781	Second-setting lever		
399 780	Casing clamp		
491 589	Dial washer		
701 781	Fifth wheel & pinion		
☆884 682	Holding ring for dial		
4001 781	Circuit block		
4002 781	Coil block		
4146 781	Step rotor		
4216 781	Insulator for battery connection		
4242 780	Plus terminal of battery connection		
4259 770	Anti-magnetic shield plate		
022 426	Casing clamp screw		
022 468	Center wheel bridge screw		
022 468	Third wheel bridge screw		
022 468	Anti-magnetic shield plate screw		
022 468	Circuit block screw		
022 491	Setting lever spring screw		
022 764	Dial screw		
027 492	Pin for plus terminal of battery connection		
011 324	Upper hole jewel for fifth wheel		
011 324	Lower hole jewel for fifth wheel		
011 404	Upper hole jewel for fourth wheel		
011 537	Upper hole jewel for step rotor		
011 537	Lower hole jewel for step rotor		
SEIKO SB-AP	Silver oxide battery		

**Remarks :**

**Holding ring for dial**

☆884 682.....The type of holding ring for dial is determined based on the design of cases and dials. Check the case number and refer to "SEIKO Quartz Casing Parts List" to choose a corresponding holding ring for dial.

☆⇨ Please see remarks.